

	Hits	Search Text	DBs
1	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	17603	375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177cross, 348/180, 725/105, 725/131, 725/143, 725/151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	9619	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls. and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	33	((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	96	((("5475874") or ("5584061") or ("5649319") or ("6353930") or ("6370475") or ("6405132") or ("5300935") or ("6006076") or ("4291414") or ("5708964") or ("5802067") or ("6085146") or ("5914675") or ("5289285") or ("5802066") or ("6470496") or ("4608710") or ("5682599") or ("5745845") or ("5794118") or ("5459719") or ("5513385") or ("5572194") or ("5699104") or ("6016567") or ("6741293") or ("5819166") or ("4801940") or ("3845394") or ("4476582") or ("5519758") or ("5613230") or ("5654719") or ("5749048") or ("6181921") or ("4339826") or ("5913155") or ("5926510") or ("6064255") or ("5444847") or ("6122493") or ("4313214") or ("4348770") or ("5584051") or ("5712850") or ("6064658") or ("6088351") or ("6222924") or ("6222924") or ("5214656"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	3	S8 and (decod\$5 with (stop\$5 or halt\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	36	S8 and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S8 and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	20	((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570cross, 725/96).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	2	("5050237").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2007	(digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	93	(375/260, 375/345, 375/316, 375/295, "455"/\$, "370"/\$).ccls. and (digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	4	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (digital near2 broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5) near2 frequenc\$7) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	111	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5) near2 frequenc\$7) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	119	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5 or idl\$5 or free\$5) near2 frequenc\$7) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	9	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or idl\$5 or free\$5) near2 frequenc\$7) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	2	ep-1211829-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	95	(375/260, 375/345, 375/316, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7).ccls. and (digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	103902	(hitomi.in. or inoue.in. or otsubo.in. or hamabata.in.) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	55	(hitomi.in. or inoue.in. or otsubo.in. or hamabata.in.) and (digital near2 broadcast\$5 near2 receiv\$5) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	2	"5050237".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	0	"369197".pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	0	"2000369197".pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	"JP 2000369197".pran.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	1	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or idl\$5 or free\$5) near2 frequenc\$7) and fram\$5 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	1692	(search near2 resulting near2 from decod\$5 near2 stop\$5) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	1692	(search near2 result\$5 near2 from decod\$5 near2 stop\$5) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	344	(search near2 resulting near2 from decod\$5 near2 stop\$5) and (tv or television) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	344	(search\$5 near2 result\$5 near2 from decod\$5 near2 stop\$5) and (tv or television) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	6	(US-5050237-\$ or US-5896177-\$ or US-6339669-\$ or US-6353930-\$ or US-6363514-\$).did. or (EP-1211829-\$).did.	USPAT; EPO
36	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7).cccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and (digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	3983	(decod\$7 same ("not" or no) near2 decod\$7)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	216	(decod\$7 same ("not" or no) near2 decod\$7)) and fram\$7 and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	0	((decod\$7 same ("not" or no or stop) near2 decod\$7)) with fram\$7 with (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	49	((decod\$7 same ("not" or no or stop) near2 decod\$7)) with fram\$7) and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	169	S38 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	0	(decod\$7 with fram\$7 with ("not" or no or stop) with other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	0	(decod\$7 with fram\$7 with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	(decod\$7 with (one or path\$7) with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7) with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	1	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7) with ("not" or no or stop\$7) with \$3other) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
47	8	("4356568" "4429279" "4455674" "4563651" "4598426" "4680795" "4688254" "4712241").PN. OR ("5050237").URPN.	US-PGPUB; USPAT; USOCR
48	2	S47 and decod\$7	US-PGPUB; USPAT; USOCR
49	1	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) with ("not" or no or stop\$7) with \$3other) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	10410	(decod\$7 same (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) same ("not" or no or stop\$7) same (\$3other or next\$7 or prior\$7 or previous\$7 or earlier\$7)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	32	(decod\$7 same (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) same ("not" or no or stop\$7) same \$3other) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	2	jp-07231269-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
53	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	860	broadcast\$7 with mut\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7, 375/217, 375/216).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and (digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
57	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, 381/3, 381/4, 381/5, 381/6, 381/7, 375/217, 375/216).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	7	(375/217, 375/216).ccls. and (decod\$5 with (stop\$5 or halt\$5 or mut\$7)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB